

# Title – NOAA PSL Microwave Radiometer Brightness Temperature and Surface Meteorology Data

## Authors

Author	Email	Institution	ORCID
Laura Bianco (PI)	<a href="mailto:laura.bianco@noaa.gov">laura.bianco@noaa.gov</a>	CIRES/NOAA PSL	<a href="https://orcid.org/0000-0002-5324-6149">0000-0002-5324-6149</a>
Bianca Adler	<a href="mailto:bianca.adler@noaa.gov">bianca.adler@noaa.gov</a>	CIRES/NOAA PSL	<a href="https://orcid.org/0000-0002-0384-7456">0000-0002-0384-7456</a>
Timothy Myers	<a href="mailto:timothy.myers@noaa.gov">timothy.myers@noaa.gov</a>	CIRES/NOAA PSL	<a href="https://orcid.org/0000-0003-0582-4554">0000-0003-0582-4554</a>
Irina Djalalova	<a href="mailto:irina.v.djalalova@noaa.gov">irina.v.djalalova@noaa.gov</a>	CIRES/NOAA PSL	<a href="https://orcid.org/0000-0003-1299-5925">0000-0003-1299-5925</a>
Jim Wilczak	<a href="mailto:james.m.wilczak@noaa.gov">james.m.wilczak@noaa.gov</a>	NOAA PSL	<a href="https://orcid.org/0000-0002-9912-6396">0000-0002-9912-6396</a>

## 1.0 Data Set Description

This dataset contains data from two Radiometrics MP-3000A Microwave Radiometers (MWRs) (Solheim et al., 1998) that were deployed during the Propagation, Evolution and Rotation in Linear Storms (PERiLS) experiment in Columbia, LA, and Courtland, AL. Brightness temperatures data at 35 frequencies as well as near-surface temperature, humidity, and pressure data are included in the lv1 data files. The MWRs are operated continuously since the middle of February 2022. In this dataset, data until 31 August 2022 are available so far. More data will be added. From the observed brightness temperatures, temperature and humidity profiles as well as liquid water path can be retrieved with the optimal estimation physical retrieval (TROPoe). The retrieved thermodynamic quantities will be available in a separate dataset.

- Data status: Final
- Time period:
  - Columbia, LA: 8 February 2022 – 31 August 2022
  - Courtland, AL: 11 February 2022 – 31 August 2022
- Physical location:
  - Columbia, LA: 32.124322 N, 92.055569 W, 20 m above mean sea level
  - Courtland, AL: 34.66 N, 87.35 W, 187 m above mean sea level
- Data Frequency: continuous
- Data set restrictions: none

## 2.0 Instrument Description

The two MWRs observed brightness temperatures at 21 frequencies in the K-band (22 to 30 GHz) and at 14 frequencies in the V-band (51 to 59 GHz). It is equipped with a surface sensor measuring temperature, relative humidity, and barometric pressure and an upward pointing infrared thermometer. For details on the instrument specifics, see the manufacturer manual.

## 3.0 Data Collection and Processing

Data are collected continuously. No data processing outside of the Radiometrics software was performed for the lv1 data. The scan strategy consists of four low-elevation angle scans followed by a zenith scan and is repeated continuously. The repetition frequency of the 5 scan angles is about 2.5 minutes.

The lv1 data are based on lv0 data which contain raw, unprocessed data in engineering units. lv0 files contain all the information needed to reprocess the raw data with alternative calibration information or algorithms and are available on request.

The serial number of the MWR deployed at Columbia is MP3058A and at Courtland MP3297A. At the beginning of the deployment and then every 6 months, the instrument is calibrated with liquid nitrogen. To calibrate the K-band channels, tip calibrations are performed under clear sky conditions.

Unit	LN2 calibration	Tip calibration
MP3058A (Columbia, LA)	2/8/2022	2/8/2022
		6/10/2022
	9/1/2022	9/1/2022
MP3297A (Courtland, AL)	2/11/2022	2/11/2022
		4/19/2022
		6/10/2022
	8/30/2022	08/30/2022

Data availability is given in Fig. 1 for the period February 8 to August 31 2022. Short data gaps occurred due to power failures and laptop issue.




Figure 1: Data availability for the MWR MP3297A at Courtland and for the MWR MP3058A at Columbia.

#### 4.0 Data Format

The lv1 files are available in ascii format provided by the instrument manufacturer. For a description of the files see the manufacturer manual.

The file naming conventions for the lv1 are as follows:

NOAA\_PSL\_MWR\_Columbia\_yyyymmdd\_HHMMSS\_lv1.csv

NOAA\_PSL\_MWR\_Courtland\_yyyymmdd\_HHMMSS\_lv1.csv

with

yyyy: Year

mm: Month





radiance interferometer (AERI). *J. Appl. Meteor. Climatol.*, 53, 752–771,  
<https://doi.org/10.1175/JAMC-D-13-0126.1>.

Turner, D. D., and W. G. Blumberg, 2019: Improvements to the AERIoe thermodynamic profile retrieval algorithm. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 12, 1339–1354, <https://doi.org/10.1109/JSTARS.2018.2874968>.

Turner, D. D., and U. Löhnert, 2021: Ground-based temperature and humidity profiling: Combining active and passive remote sensors. *Atmos. Meas. Tech.*, 14, 3033–3048, <https://doi.org/10.5194/amt-14-3033-2021>.

## 7.0 Appendix

### GCMD keywords

<b>EARTH SCIENCE</b>	SPECTRAL/ENGINEERING	INFRARED WAVELENGTHS	THERMAL INFRARED			68c2baba-b9b9-41d4-89bf-07488728bc4f
<b>EARTH SCIENCE</b>	SPECTRAL/ENGINEERING	MICROWAVE	BRIGHTNESS TEMPERATURE			d8525750-2ca4-4b1f-a717-08fda61fd547
<b>EARTH SCIENCE</b>	ATMOSPHERE	ATMOSPHERIC PRESSURE	SURFACE PRESSURE			b54de5cd-4475-4c7b-acbc-4eb529b9396e
<b>EARTH SCIENCE</b>	ATMOSPHERE	ATMOSPHERIC TEMPERATURE	SURFACE TEMPERATURE	AIR TEMPERATURE		f634ab55-de40-4d0b-93bc-691bf5408ccb
<b>EARTH SCIENCE</b>	ATMOSPHERE	ATMOSPHERIC WATER VAPOR	WATER VAPOR INDICATORS	HUMIDITY	RELATIVE HUMIDITY	a249c68f-8249-4285-aad2-020b3c5aefc3