

TITLE

CEOP_Tsukuba_MRI_20070701_20071231.flx

CONTACT

Shigenori Haginoya
Meteorological Research Institute
1-1, Nagamine Tsukuba Ibaraki 305-0052 JAPAN
E-mail: shaginoy@mri-jma.go.jp

DATE OF THIS DOCUMENT

27 August 2007

1. 0 DATASET OVERVIEW

1.1 Introduction

Intensive meteorological observations have been conducted on the grounds of the Meteorological Research Institute, Tsukuba Japan, since November 2002 in order to provide long-term monitoring of the meteorological elements in the Tsukuba area. This is a typical suburban area, located on the Kanto plains. The observation field is covered by grass, which is cut several times a year.

1.2 Time period covered by the data

Start: 1 July 2007, 00:00
End: 31 December 2007, 23:30

1.3 Temporal characteristics of the data

All parameters are recoded every 30 minutes intervals.

1.4 Physical location of the measurement

Latitude: 36° 03' 09" N
Longitude: 140° 07' 24" E
Elevation: 25.2 m a.s.l.

1.5 Data source

Original data is provided by MRI.

1.6 WWW address references

2.0 INSTRUMENTATION DESCRIPTION

2.1 Platform

The sensors are placed on the ground.

2.2 Description of the instrumentation

Parameter	Model	Manufacturer
Soil heat flux	HFP01SC	Hukseflux(USA)

2.3 Instrumentation specification

Parameter	Sensor Type	Height of sensor (m)	Accuracy	Resolution
Soil heat flux	thermopile	-0.02	+/-3%	1 W/m ²
Soil heat flux	thermopile	-0.10	+/-3%	1 W/m ²
Soil heat flux	thermopile	-0.50	+/-3%	1 W/m ²

3.0 DATA COLLECTION AND PROCESSING

3.1 Description of data collection

Data are downloaded from the AWS every 30 minutes, then data are sent to data server PC, where they are processed.

3.2 Description of derived parameters and processing techniques used

Soil heat fluxes are the previous 30 minutes average values.

4.0 QUALITY CONTROL PROCEDURES

For all parameters, the data have been visually checked, looking for extremely low/high values and/or periods with constant values. The quality control flags follow the CEOP data flag definition document.

5.0 GAP FILLING PROCEDURES

No gap filling procedure was applied.

6.0 DATA REMARKS

6.1 PI's assessment of the data

6.1.1 Instruments problems

6.1.2 Quality issues

6.2 Missing data periods

7.0 REFERENCE REQUIREMENTS

Original data was collected and is provided within the framework of the CEOP Tsukuba Project, funded by grants-in-aid for scientific research by Japan Society for the Promotion of Science, CEOP Tsukuba DB, No. 198052.

8.0 REFERENCES