TITLE: SWL2011_Chem-Merged_README.docx

AUTHORS: Lee W. Cooper and Jackie Grebmeier

University of Maryland Center for Environmental Science, Chesapeake Biological

Laboratory

tel: +1-410-326-7359 (LC), +1 410-326-7334 (JG),

fax: +1 410-326-7302

email: cooper@cbl.umces.edu, jgrebmei@cbl.umces.edu

website: http://arctic.cbl.umces.edu

FUNDING SOURCE/GRANT NUMBER: North Pacific Research Board (NPRB) Project #A01/T2201

ORIGINAL AWARD TITLE: Pacific Marine Arctic Regional Synthesis (PacMARS)

DATA ARCHIVE: PacMARS data archive data link http://pacmars.eol.ucar.edu

DATASET OVERVIEW:

This dataset includes measurements of water samples collected at hydrographic stations from the annual Canadian Coast Guard Service Sir Wilfrid Laurier cruise during Julyt 2011. Data includes by column, Cruise #, Event #, Station Number (#), Station Name (Stn. Name), Station Water Depth (m), Date (yy/mm/dd), time (hh:mm), latitude (°N), and longitude (°W), nominal depth (w), Rosette Bottle #, Sample Number, bottle trip location, raw CTD data (pressure, temperature (°C), Salinity, dissolved Oxygen concentration, Chlorophyll a concentration, nutrients (Phosphate, Silica, Nitrite+Nitrate, Ammonium) and delta-O18 (stable oxygen isotope) values. Additional parameters in the columns from sensors and data descriptors are provided in this file and defined below.

INSTRUMENT DESCRIPTION:

Water samples were collected from rosette bottles attached to a Seabird Model SBE19 CTD for nutrients, chlorophyll and oxygen-18/16 ratios. Water temperature, salinity, and other data that were electronically measured with sensors on the CTD are also provided for the depths where each bottle was closed.

DATA COLLECTION AND PROCESSING

Water column collections included water sampling for inorganic nutrients, dissolved oxygen, oxygen-18/16 ratios of seawater, and chlorophyll *a* at up to 6 depths at each station from the rosette bottles. Sensor data for temperature and salinity are also included. Subsamples for inorganic nutrients were collected from the CTD rosette, filtered shipboard, and frozen for post cruise analyses. Nutrient samples were processed by technical support at the Institute of Ocean Sciences, Department of Fisheries and Oceans Canada as part of a collaborative study. Samples were processed for all 4 nutrients: phosphate, nitrite + nitrate, silica, and to a limited extent, ammonia, as well as dissolved oxygen. Water samples for ¹⁸O/¹⁶O ratios were collected in small vials, sealed to prevent evaporation and returned to the lab for analysis. These samples were analyzed at the University of Maryland Center for Environmental Science using a Thermo DeltaPlus Stable Isotope Mass Spectrometer. The water column chlorophyll was analyzed shipboard using a Turner Designs AU-20 fluorometer (non-acidfication or Welschmeyer method) following a 24-hour in the dark incubation with 90% acetone at 4°C method (see Cooper et al. 2012, 2013 for further details).

There are 8 tabs within this file:

```
Tab 1 "2011 18S SWL Chem" is the data file with the parameters listed in more detail in the
   data format below. Nutrient data (columns BT-CK) are from NASL Laboratory at the
   Chesapeake Bay Laboratory
Tab 2 "Cast Event Notes"-self explanatory
Tab 3 "Notes"-self explanatory
Tab 4 "ELECTRONIC SAMPLE LOG" provides a listing of events at each station, date time,
   and inventory of components for the full Canadian-US cruise.
Tab 5 "For ODV"
Tab 6 "Nutrients Compare"
Tab 7 "Nuts compare data"
Tab 8 "Bottle Quality"
Data File Structure:
File Names (Formats): 2011_SWL_Chem-Merged.xls
Files Data Parameters by Column:
       Cruise #
Α
В
       Cast #
С
       Station Name
D
       place holder
       Cast start time [UTC] (mm/dd/yyyy, hh:mm)
Ε
F-H
       Columns to convert lat to decimal degrees
       Latitude in decimal degrees
J-L
       Columns to convert long to decimal degrees
       Longitude in decimal degrees
М
       Station water column depth (m)
Ν
0
       Cast depth [m]
Р
       Raw Pressure [dbar]
       Sample #. [All others match to this sample number]
Q
       Bottle Integrity [0=good, 1=leak, 2=bad]
R
S
       Tripping direction (downcast or upcast) [US (up stop), UN (up no stop), USM (up stop)
       mix) or DN (down no stop)]
Т
       Rosette bottle #
U
       CTD Salinity 0
V
       CTD Salinity 1
W
       SBEox (mL/L) oxygen sensor on CTD
Χ
       Sigma-t (density)
Υ
       Scan
Ζ
       T0 90C
AA
      T1 90C
AB
      Xmiss
       FLSP
AC
AD
       Alt M
ΑE
       Salt Sample #
```

ΑF

AG

AΗ

ΑI

ΑJ

ΑK

AL

Salt-1

Salt-2

Salt

IOS QF-1

IOS QF-2

QC Process

Analyst Comment

- AM IOS QF
- AN Oxygen Sample #
- AO Oxygen-1 [mL/L]
- AP IOS QF-1
- AQ Oxygen-2 [mL/L]
- AR IOS QF-2
- AS Analyst Comment
- AT Oxygen [mL/L]
- AU Oxygen [µM]
- AV IOS QF
- AW Nutrient sample #
- AX Frozen sample
- AY Nitrate+Nitrite-1 [μΜ]
- AZ IOS QF-1
- BA Nitrate+Nitrite-2 [μM]
- BB IOS QF-2
- BC Analyst Comment
- BD Silicate-1 [µM]
- BE IOS QF-1
- BF Silicate-2 [µM]
- BG IOS QF-2
- BH Analyst Comment
- BI Phosphate-1 [μM]
- BJ IOS QF-1
- BK Phosphate-2 [µM]
- BL IOS QF-2
- BM Analyst Comment
- BN Nitrate+Nitrite [µM]
- BO IOS QF
- BP Silicate [µM]
- BQ IOS QF
- BR Phosphate [µM]
- BS IOS QF
- BT Nutrient Sample # (Grebmeier) Nutrients data from columns BT through CL were analyzed at the Nutrient Analytical Services Laboratory at the Chesapeake Biological Lab.
- BU Frozen sample (Grebmeier)
- BV Nitrate+Nitrite-1 [μM] (Grebmeier)
- BW IOS QF-1 (Grebmeier)
- BX Silicate-1 [µM] (Grebmeier)
- BY IOS QF-1 (Grebmeier)
- BZ Phosphate-1 [μM] (Grebmeier)
- CA IOS QF-1 (Grebmeier)
- CB Ammonia-1 [µM] (Grebmeier)
- CC IOS QF-1 (Grebmeier)
- CD Analyst Comment (Grebmeier)
- CE Nitrate+Nitrite [µM] (Grebmeier)
- CF IOS QF (Grebmeier)
- CG Silicate [µM] (Grebmeier)
- CH IOS QF (Grebmeier)
- CI Phosphate [µM] (Grebmeier)
- CJ IOS QF (Grebmeier)

```
CK Ammonia [µM] (Grebmeier)
```

- CL IOS QF (Grebmeier)
- CM Ndiff (IOS JG)
- CN Sdiff (IOS JG)
- CO Pdif x10 (IOS JG)
- CP Chl Sample # (Grebmeier)
- CQ Filtered Volume [L]
- CR Filtered Volume -2 [L]
- CS Extracted Volume [L]
- CT Extractd Volume -2 [L]
- CU ChITOT-1 [µg/L]
- CV IOS QF-1
- CW ChITOT-2 [µg/L]
- CX IOS QF-2
- CY PhaeTOT-1 [µg/L]
- CZ IOS QF-1
- DA PhaeTOT-2 [µg/L]
- DB IOS QF-2
- DC Analyst Comment
- DD ChlTOT [µg/L] (Grebmeier) chlorophyll measured shipboard
- DE IOS QF (Grebmeier)
- DF PhaeTOT [µg/L] (Grebmeier) no data since Welschmeyer method used
- DG IOS QF (Grebmeier)
- DH DIC Sample # (dissolved inorganic carbon)
- DI DIC System
- DJ DIC-1 [µmol/kg]
- DK IOS QF-1
- DL DIC-2 [µmol/kg]
- DM IOS QF-2
- DN DIC [µmol/kg]
- DO IOS QF
- DP Alkalinityalinity Sample #
- DQ Alkalinity-1 System
- DR Alkalinity-1 [µmol/kg]
- DS IOS QF-1
- DT Alkalinity-2 System
- DU Alkalinity-2 [µmol/kg]
- DV IOS QF-2
- DW Alkalinity [µmol/kg]
- DX IOS QF
- DY O18 Sample # IOS
- DZ 018-1 [% VSMOW]
- EA IOS QF-1
- EB 018-2 [% VSMOW]
- EC IOS QF-2
- ED dup or re
- EE O18 [% VSMOW] (IOS)
- EF IOS QF
- EG O18 Sample # (Grebmeier)
- EH O18-1 [% VSMOW] (Grebmeier)
- El IOS QF-1 (Grebmeier)

EJ O18 [% VSMOW] (Grebmeier)

EK IOS QF (Grebmeier)

EL Sort Reference

EM END

Data Version Number and Date: Version 1, 05/07/14

Software Compatibility: This dataset will be posted in Microsoft Excel for Mac 2011, Version 14.4.1

REFERENCES

Cooper, L.W., M.A. Janout, K.E. Frey, R. Pirtle-Levy, M.L. Guarinello, J.M. Grebmeier, and J.R. Lovvorn. 2012. The relationship between sea ice break-up, water mass variation, chlorophyll biomass, and sedimentation in the northern Bering Sea. Deep Sea Research Part II 65, 141-162; doi:10.1016/j.dsr2.2012.02.002.

Cooper, L.W, M.G. Sexson, J.M. Grebmeier, R. Gradinger, C.W. Mordy, J.R. Lovvorn. 2013. Linkages Between Sea Ice Coverage, Pelagic-Benthic Coupling and the Distribution of Spectacled Eiders: Observations in March 2008, 2009 and 2010 from the Northern Bering Sea, Deep Sea Research Part II, Topical Studies in Oceanography, 94, 31-43.