

Flux Tower data measured at 20Hz and 1Hz provided by the University of Notre Dame from the ES3 tower site on the East Slope of Granite

ES3

Author(s):	Regarding data questions contact:
Harindra Joseph S. Fernando Mailing address: 156 Fitzpatrick Hall of Engineering, Notre Dame, IN, USA, 46556 Tel./Fax.: 574-631-9346/ 574-631-9236, E-mail and web: Fernando.10@nd.edu , http://ceees.nd.edu/profiles/hfernando	Laura S. Leo / Zachariah Silver Mailing address: 156 Fitzpatrick Hall of Engineering, Notre Dame, IN, USA, 46556 Tel./Fax.: 574-631-8419/574-631-9236 E-mail and web: LauraSandra.Leo.13@nd.edu / zsilver@nd.edu , https://engineering.nd.edu/profiles/lleo / https://engineering.nd.edu/profiles/zsilver

1.0 Data Set Overview

1.1 Time period covered by the data

Approximately September - October 2012 and May 2013. For specific times please refer to individual file names.

1.2 Physical location (latitude, longitude, elevation)

40.09567, -113.24405, 1354.161185

1.3 Instrument type

Flux Tower

1.4 Data provider

University of Notre Dame

1.5 Web address references

<http://www3.nd.edu/~dynamics/materhorn/>

https://www.eol.ucar.edu/field_projects/materhorn-x

2.0 Instrument Description

Surface tower including three levels of RM Young 81000 ultrasonic anemometers were mounted at 0.5m, 5m, 10m, 20m above ground level. A Campbell Scientific CSAT3 ultrasonic anemometer was mounted at 2m above the ground with (KH20 gas analyzer Fall 2012, Li-COR 7500 gas analyzer Spring 2013). A RM Young 05103 anemometer was mounted at 16m above ground level. Also included are

Temperature Relative Humidity Measurements HMP45C, Barometric Pressure PTB110, and Thermocouples K-type.



2.1 Instrument website

<http://www.alumatower.com/>, (Aluminum Tower)

<https://www.campbellsci.com/cr5000>, (CR5000 Datalogger)

<https://s.campbellsci.com/documents/us/manuals/loggernet.pdf>

TOA5 file format description (Appendix B, pages: B-4, B-3)

<https://www.campbellsci.com/hmp45c-1>, (Temperature / Relative Humidity Probe)

<https://www.campbellsci.com/cs106>, (Barometer)

<http://www.youngusa.com/products/7/5.html>, (RM Young 05103)

<http://www.youngusa.com/products/6/3.html>, (RM Young 81000)

<http://www.omega.com/pptst/5TC.html>, (Thermocouples 5TC-GG-K-36-36)

<https://www.campbellsci.com/kh20> (KH20 Krypton Hygrometer - Fall 2012)

https://www.licor.com/env/products/eddy_covariance/LI-7500DS.html

(Li-COR Gas Analyzer - Spring 2013)

<https://www.campbellsci.com/csats3> (CSAT3 - Spring 2013)

2.2 Table of specifications

Accuracy	Range	Frequency	Resolution
See individual instrument websites	See individual instrument websites	See individual instrument websites	See individual instrument websites

3.0 Data Collection and Processing

3.1 Description of data collection

3.2 Description of derived parameters and processing techniques used

Original data files are provided.

3.3 Description of quality assurance and control procedures

This dataset was not subject to any quality control or processing it has been provided in its original form.

3.4 Data intercomparisons

4.0 Data Format

4.1 Data file structure

TOA5, (ASCII csv with header)

4.2 File naming convention

dataProvider_instrument[_identifier]_tableNumber_rate_instrumentType_startDateAndTime_endDateAndTime.extension

4.3 Data format

comma delimited ASCII

4.4 Data layout

Each file has four header lines. First header line contains information on the logger and the consecutive three lines provides the column headers (variables, units and measurement types) for all subsequent rows of data contained within the file.

4.5 List of parameters with units, sampling intervals, frequency, range

Variable names usually contain the variable type and the height of the measurement in meters. 05 refers to a measurement taken at 0.5m. As an example u16 means "u" wind component measured at 16 m.

4.6 Data version number and date

raw, v1.0, October 2016

4.7 Description of flags, codes used in the data, and definitions

4.8 Data sample

The data sample is provided in the Filtered_Headers.txt. Please look for the file name in the Filtered_Headers.txt for the corresponding data sample.

5.0 Data Remarks

5.1 PI's assessment of the data

5.2 Missing data periods

5.3 Software compatibility

6.0 References

- [1] Fernando, H. J. S., E. R. Pardyjak, S. Di Sabatino, F. K. Chow, S. F. J. DeWekker, S. W. Hoch, J. Hacker, J. C. Pace, T. Pratt, Z. Pu, J. W. Steenburgh, C. D. Whiteman, Y. Wang, D. Zajic, B. Balsley, R. Dimitrova, G. D. Emmitt, C. W. Higgins, J. C. R. Hunt, J. G. Kniewel, D. Lawrence, Y. Liu, D. F. Nadeau, E. Kit, B. W. Blomquist, P. Conry, R. S. Coppersmith, E. Creegan, M. Felton, A. Grachev, N. Gunawardena, C. Hang, C. M. Hocut, G. Huynh, M. E. Jeglum, D. Jensen, V. Kulandaivelu, M. Lehner, L. S. Leo, D. Liberzon, J. D. Massey, K. McEnerney, S. Pal, T. Price, M. Sghiatti, Z. Silver, M. Thompson, H. Zhang, T. Zsedrovits, 2015: The MATERHORN – Unraveling the Intricacies of Mountain Weather, BAMS, doi: <http://dx.doi.org/10.1175/BAMS-D-13-00131.1>.