

CFI Climate Sentinels UQAM-PK MRR-2 raw data [UQAM]

Authors:

Mathieu Lachapelle (Lead author, Corresponding author)

Ph.D Candidate/Student

Department of Earth and Atmospheric Sciences

Université du Québec à Montréal

lachapelle.mathieu@courrier.uqam.ca

Margaux Girouard (Co-author)

Master Candidate/Student

Department of Earth and Atmospheric Sciences

Université du Québec à Montréal

girouard.margaux@courrier.uqam.ca

Hadleigh Thompson (Co-author)

Research Assistant

Department of Earth and Atmospheric Sciences

Université du Québec à Montréal

thompson.hadleigh@uqam.ca

ORCID: 0000-0001-5145-5951

Julie M. Thériault (Co-author)

Professor

Department of Earth and Atmospheric Sciences

Université du Québec à Montréal

theriault.julie@uqam.ca

ORCID: 0000-0001-6534-5083

1. Data Set Description

1.1. Introduction: This dataset contains raw data from a METEK vertically profiling K-band Micro Rain Radar (MRR-2) permanently installed on the rooftop of UQAM President-Kennedy building in Montréal downtown, Québec. The instrument provides vertical profiles of reflectivity, Doppler velocity, and spectrum width. The site sits in the St. Lawrence River Valley. Several other sites also collected MRR data during WINTRE-MIX. Data from these other sites will also be made available in the WINTRE-MIX data archive

(https://data.eol.ucar.edu/master_lists/generated/wintre-mix/).

1.2. Data version: v1.0, 17 June 2022

1.3. Time period covered: 1 November 2022 – 22 April 2022

1.4. Location:

- The MRR-2 is mounted on a vertical structure on the rooftop of UQAM President-Kennedy (UQAM-PK) building (Fig. 1), co-located with other meteorological instruments. The approximate location is shown in Fig. 2. The building is 39 m high and the station is 69 m above sea level. The MRR-2 is mounted 2 m above the station platform.
- Latitude: 45.508594°
- Longitude: -73.568741°
- Elevation: 71 m MSL

1.5. Data frequency: 10 seconds

1.6. Web address: <https://doi.org/10.26023/K767-Q0K8-KQ0Y>. Preliminary MRR-2 data are visualized as “quick look” plots on the WINTRE-MIX field catalog (<https://catalog.eol.ucar.edu/wintre-mix/114/date/>).

1.7. Dataset restrictions: Please refer to the WINTRE-MIX data policy (<https://www.eol.ucar.edu/content/wintre-mixdata-policy>) as well as the WINTRE-MIX data management plan (https://www.eol.ucar.edu/system/files/Data_Management_Plan-1Dec2021.pdf) for more information regarding dataset restrictions and dissemination.





Fig. 1. Photos of the UQAM-PK weather station and MRR-2.




Fig. 2. Approximate location of UQAM-PK, QC MRR-2 radar (UQAM).

2. Instrument Description

A METEK K-band FM-CW Micro Rain Radar-2 (MRR-2, <http://metek.de/product/mrr-2/>) is installed on the rooftop of UQAM President-Kennedy Building (Fig. 1). The attributes of the MRRs are summarized in Table 1. More detailed technical information on the MRR2 is available in METEK (2015, 2021).

Table 1: Technical specifications and configuration settings for the MRR-2

| <u>Parameter</u> | <u>Value</u> |
|-------------------------------|------------------------|
| Transmit power | 50 mW |
| Frequency | 24 GHz |
| Number of range gates | 32 |
| Antenna heating | 230 VAC / 24 VDC, 25 W |
| Beam width | 2 degrees |
| Range resolution used | 200 m |
| Raw data collection frequency | 10 s |

3. Data Collection and Processing

The MRR-2 was configured to collect data every 10 seconds with a 200-m range gate spacing (Table 1). Antenna heating was used to prevent accumulation of snow and ice on the dish. MRR-2 raw data (.raw files) was logged onto a Windows PC using the METEK MRR Control Software as described in METEK (2021) and grouped into daily files. A post-processed version of the data is available in a companion dataset: CFI Climate Sentinels UQAM-PK MRR-2 processed data [UQAM].

4. Data format

Files are daily, containing 24 hours of data, and are named with the following format:

UQAM_MRR2_YYYYMMDD.raw

where *UQAM* represents the site identifier and *YYYYMMDD* is the date of data collection in UTC.

Data is stored as ASCII text according to the METEK *raw spectra* format. As described in METEK (2021), each sample is recorded as a data block.

The first line of each data block contains the following fields:

- Identifier for MRR data

- date/time stamp in format: YYMMDDhhmmss UTC
- Device version/firmware number (DVS)
- Device serial number (DSN)
- Bandwidth (BW)
- Calibration constant (CC)
- Micro Rain Radar Data (MDQ) quality: (percentage of valid spectra, number of valid spectra and number of total spectra)
- Identifier for data type (RAW)

According to METEK (2021):

“The next data lines contain the measuring heights. It begins with the capital letter H (H means height) and two space characters. The following numbers (9 digits decimal each) represent the measuring heights in meters.

The height line is followed by the line of the transfer function. It starts with the capital characters TF (Transfer Function) and one space character. The rest of that line represents the values of the transfer function for each height step (9 digits decimal each).

The line of the transfer function is followed by 64 data lines. Each one starts with the capital character F and a 2-digit number of the spectra line (0 to 63). The rest of these lines represent the received spectral signal power in engineering units for each height step (9 digits decimal each).

The raw spectra include the receiver noise floor.”

5. Data Remarks

No major data artifacts were noticed in review of the data. Some spurious weak echos are occasionally found above 5 km MSL in the data, perhaps associated with local sources of microwave interference. Table 3 summarizes MRR-2 interruptions > 1 h. Only 2 long interruptions occurred from 1 Feb 2022 - 15 March 2022, during the field campaign. They are highlighted in **yellow**. Most interruptions are due to construction on the rooftop station during winter 2021-2022.

Table 3: Summary of missing data

| Interruption length [hours] | Start | End |
|-----------------------------|------------------|------------------|
| 8.2 | 2021-11-18 08:20 | 2021-11-18 16:30 |
| 96.3 | 2021-11-25 17:49 | 2021-11-29 18:07 |
| 99.8 | 2021-12-01 21:32 | 2021-12-06 01:19 |
| 30.9 | 2021-12-12 11:18 | 2021-12-13 18:10 |
| 7.9 | 2021-12-14 14:38 | 2021-12-14 22:33 |
| 375.1 | 2021-12-26 22:11 | 2022-01-11 13:15 |
| 16.9 | 2022-01-31 20:43 | 2022-02-01 13:37 |
| 13.6 | 2022-02-14 00:13 | 2022-02-14 13:46 |
| 14.4 | 2022-03-02 05:56 | 2022-03-02 20:18 |
| 11.5 | 2022-03-18 02:03 | 2022-03-18 13:34 |
| 26.4 | 2022-03-24 14:41 | 2022-03-25 17:02 |
| 42.8 | 2022-03-26 22:18 | 2022-03-28 17:09 |
| 30.4 | 2022-03-31 12:07 | 2022-04-01 18:32 |
| 30.0 | 2022-04-05 07:59 | 2022-04-06 14:00 |
| 56.6 | 2022-04-10 10:06 | 2022-04-12 18:45 |
| 15.9 | 2022-04-13 20:38 | 2022-04-14 12:32 |

6. Acknowledgment

Financial support was provided by Canada Foundation for Innovation (CFI), Canada Research Chair (CRC), Natural Sciences en Engineering Research Council (NSERC) of Canada, Département des Sciences de la Terre et l'atmosphère de l'UQAM, and the Fonds de Recherche du Québec Nature et Technologie (FRQNT). We also thank George Huard and Frédéric Toupin that provided technical informatic support.

7. References

*METEK, 2021: MRR-2 Micro Rain RADAR User Manual. *METEK GmbH*.

*METEK, 2015: MRR Physical Basics. *METEK GmbH*.

* *Metek MRR manuals are provided as attachments.*

8. Appendix

Suggested GCMD keywords to accompany this dataset are provided below in no particular order:

- Solid precipitation
- Frozen precipitation
- Precipitation profiles
- Melting layer height
- Rain
- Freezing rain
- Drizzle
- Freezing drizzle
- Ice pellets
- Snow
- Ice storms
- Snow storms
- Extratropical cyclones
- Radar
- Doppler velocity
- Radar reflectivity
- Spectrum width